






SUPPORTS AND BUMP STOPS


产品型号: 514202- 硬度: 75-
压缩荷载: 5000 daN - 形变量: 8mm




产品型号: 534501 - 硬度: 60-
荷载: 压缩: 2500 daN - 形变量: 15 mm
- 剪切荷载: 300 daN - 形变量: 10 mm




产品型号: 813501- 硬度: 60-
压缩荷载: 1000 daN - 形变量: 4mm




产品型号: 817505 - 硬度: 60-
压缩荷载: 1500 daN - 形变量: 5 mm




产品型号: 813506 - 硬度: 60-
压缩荷载: 4000 daN - 形变量: 2.4 mm




产品型号: 817605 - 硬度: 60-
压缩荷载: 2000 daN - 形变量: 1.4 mm




产品型号: 813504 - 硬度: 60-
压缩荷载: 3000 daN - 形变量: 9 mm






形变量:14 mm
最大荷载:150daN
产品型号:512389




形变量:35mm
最大荷载:3 000daN
产品型号:519186




形变量:45 mm
最大荷载:4800daN
产品型号:512991


示例图1




示例图2



示例图3





示例图4



Stops 产品范围 (p71)

产品型号	示例图	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	H (mm)	荷载下的 形变量 (mm)	最大荷载 (KN)	φ d (mm)
E1V-3245-04	4	135	125	106	85	5	110		50	M10
E1V-3568-01	3	126		80		3	36	10	59	5/16 或 M8
E1V-3892-01	2	196	140	174	118	5	85	40	25	13
E1V-3914-01	1	170	110	140		3	40	25	20	15
E1V-3921-01	1	170	110	140		3	50	31	28	15
E1V-3922-01	2	180	180	148	148	6	56	32	60	15
E1V-3927-01	1	170	110	140		3	40	25	28,5	15
E1V-3931-01	2	110	110	92	92	3	90		26	9
E1V-3932-01	1	170	110	140		3	30	15,5	50	15
E1V-3940-01	1	170	88	140		3	20	10	30	15
E1V-4031-01	1	170	110	140		3	65	41	25	15
E1V-4059-11	1	234	125	200		5	70	40	51,2	14
519805	1	170	110	140		3	50	31	28	15
519830	2	100	110	80	90	3	62	25	12,5	11



优势:

- 滑板底座
- 集成限位块
- 持续性刚度